

Aava


Design by Antti Kotilainen, 2015

Art. 3943

Chair with steel 4 leg base and polypropylene shell available in 6 colors. Optional glides with felt for wooden floors are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base




CRO

V24
matt

V25
matt

Shell



PG0001

PG0002

PG0003

PG0004

PG0005

PG0006

arper

www.arper.com

info@arper.com

Aava

Design by Antti Kotilainen, 2015

Accessories:



Single trolley Art. 0500



Set of glides Art. 3948



Link Art. 3970

SHIPMENT DETAILS

Art.3943

1 pz = 2 - kg 6,60/ m² 0,22

4 pz = 2 - kg 20,40/ m² 0,27

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 6.4
- EN 1022:05
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6.5
- TUV GS (EN16139)

TECHNICAL SPECIFICATIONS

Art.3943

Frame base finishes: indoor use only (contact us for outdoor finishes).

FIRE RETARDANT TEST

ENVIRONMENTAL CERTIFICATIONS



arper

Stackability:

- Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With trolley: up to 20 pcs.

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2015

Art. 3951

Chair with steel 4 leg base and shell upholstered in leather, faux leather, fabric or customer's material. Optional glides with felt for wooden floors are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

arper

info@arper.com

www.arper.com

Aava

Design by Antti Kotilainen, 2015

Accessories:



Single trolley Art. 0500



Set of glides Art. 3948



Stacking protection Pad Art. 3950



Link Art. 3970

SHIPMENT DETAILS

Art.3951

1 pz = 2 - kg 8,36/ m² 0,28

4 pz = 2 - kg 25,1/ m² 0,304

TECHNICAL SPECIFICATIONS

Art.3951

COL requirement m² 1,56

H 140 cm. COM Meterage ml 0.99. Frame base finishes: indoor use only

RESISTANCE TEST

- TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1M Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2013

Art. 3906 3920

Chair with steel four-leg base and reconstituted veneer shell, natural or stained birchwood effect in 4 different colours. Optional glides with felt for wooden floors are available upon request. A non-washable, removable cover (Item 3920) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Wood



arper

www.arper.com

info@arper.com

Aava

Design by Antti Kotilainen, 2013



Single trolley Art. 0500



Link Art. 3941 + Stacking protection Art. 3942



Set of glides Art. 3948

SHIPMENT DETAILS

Art.3906

1 pz = 2 - kg 9,94/ m² 0,3

4 pz = 2 - kg 25,06/ m² 0,37

1 pz = 1 - kg 3/ m² 0,04

4 pz = 1 - kg 8/ m² 0,04

TECHNICAL SPECIFICATIONS

Art.3906

Frame base finishes: indoor use only

Art.3920

COL requirement m² 1,56

H 140 cm. COM Meterage ml 0.99

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1022:05
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.25
- TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1 LG • Classe 11M Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS



arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2014

Art. 3962

Chair with steel 4 leg base and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Optional glides with felt for wooden floors are available upon request.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

arper

info@arper.com

www.arper.com

Aava

Design by Antti Kotilainen, 2014

Accessories:



Single trolley Art. 0500



Set of glides Art. 3948



Stacking protection Pad Art. 3950



Link Art. 3970

SHIPMENT DETAILS

Art.3962

1 pz = 2 - kg 8,36/ m² 0,28

4 pz = 2 - kg 28,7/ m² 0,304

TECHNICAL SPECIFICATIONS

Art.3962

COL requirement m² 0,78

H 140 cm. COM Meterage ml 0.66

Frame base finishes: indoor use only

RESISTANCE TEST

- TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1M Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2014

Art. 3934

Chair with steel four-leg base and reconstituted veneer shell, natural or stained birchwood effect in 4 different colours. Wood shell with front upholstery in leather, faux leather, fabric or customer's material front upholstery. Optional glides with felt for wooden floors are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell Wood



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

arper

info@arper.com

www.arper.com

Aava

Design by Antti Kotilainen, 2014

Accessories:



Single trolley Art. 0500



Link Art. 3941 + Stacking protection Art. 3942



Stacking protection Pad Art. 3942



Set of glides Art. 3948

SHIPMENT DETAILS

Art.3934

1 pz = 2 - kg 9,94/ m² 0,3

4 pz = 2 - kg 25,06/ m² 0,37

TECHNICAL SPECIFICATIONS

Art.3934

COL requirement m² 0,78

H 140 cm. COM Meterage ml 0.66

Frame base finishes: indoor use only

RESISTANCE TEST

- TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1M Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS



arper

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2016

Art. 3974

Chair with steel 4 leg base and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Optional glides with felt for wooden floors are available upon request.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

arper

info@arper.com

www.arper.com

Aava

Design by Antti Kotilainen, 2016

Accessories:



Single trolley Art. 0500



Set of glides Art. 3948




Stacking protection Pad Art. 3950




Link Art. 3970

SHIPMENT DETAILS

Art.3974

1 pz = 2  - kg 7,55/ m² 0,279

4 pz = 2  - kg 25,9/ m² 0,304

TECHNICAL SPECIFICATIONS

Art.3974

COL requirement m² 0,36

H 140 cm. COM Meterage ml 0.54

Frame base finishes: indoor use only

RESISTANCE TEST

- TUV GS (EN16139)

FIRE RETARDANT TEST

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2016

Art. 3973

Chair with steel four-leg base and reconstituted veneer shell, natural or stained birchwood effect in 4 different colours. Wood shell with seat cushion in leather, faux leather, fabric or customer's material upholstery. Optional glides with felt for wooden floors are available upon request.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell Wood



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

arper

info@arper.com

www.arper.com

Aava

Design by Antti Kotilainen, 2016

Accessories:



Single trolley Art. 0500



Link Art. 3941 + Stacking protection Art. 3942




Stacking protection Pad Art. 3942




Set of glides Art. 3948

SHIPMENT DETAILS

Art.3973

1 pz = 2  - kg 9,38/ m² 0,305

4 pz = 2  - kg 23,68/ m² 0,372

TECHNICAL SPECIFICATIONS

Art.3973

COL requirement m² 0,36

H 140 cm. COM Meterage ml 0.54

Frame base finishes: indoor use only

RESISTANCE TEST

- TUV GS (EN16139)

FIRE RETARDANT TEST

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2015

Art. 3944

Chair with steel 4 leg base with armrests and polypropylene shell available in 6 colors. Optional glides with felt for wooden floors are available upon request. Armrests allow positioning the chair over the table top.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell



arper

info@arper.com

www.arper.com

Aava

Design by Antti Kotilainen, 2015

Accessories:



Single trolley Art. 0500




Set of glides Art. 3948




Link Art. 3970

SHIPMENT DETAILS

Art.3944

1 pz = 2  - kg 9,73/ m² 0,39

4 pz = 2  - kg 26,39/ m² 0,47

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.10
- EN 1728:2012 - EN 16139:2013 6.20
- TUV GS (EN16139)

- EN 1728:2012 - EN 16139:2013 6.11
- EN 1728:2012 - EN 16139:2013 6.26

ENVIRONMENTAL CERTIFICATIONS



MP-C209
OECA 19-2009
Furniture and Package



TECHNICAL SPECIFICATIONS

Art.3944

Frame base finishes: indoor use only (contact us for outdoor finishes)

FIRE RETARDANT TEST

Stackability:

- Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With trolley: up to 14 pcs.

arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2015

Art. 3952

Chair with steel 4 leg base with armrest and shell upholstered in leather, faux leather, fabric or customer's material. Polypropylene or upholstery armrests. Optional glides with felt for wooden floors are available upon request. Armrests allow positioning the chair over the table top.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO

V24
matt

V25
matt

Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

arper

www.arper.com
info@arper.com

www.arper.com

Aava

Design by Antti Kotilainen, 2015

Accessories:



Single trolley Art. 0500




Set of glides Art. 3948



Stacking protection Pad Art. 3950



Link Art. 3970



Armrest CI

SHIPMENT DETAILS

Art.3952

1 pz = 2 - kg 11,49/ m² 0,49
4 pz = 2 - kg 31,08/ m² 0,518

RESISTANCE TEST

- TUV GS (EN16139)

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

Art.3952

COL requirement m² 1,56
H 140 cm. COM Meterage ml 0.99. Frame
base finishes: indoor use only

FIRE RETARDANT TEST

Classe 1M Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2013

Art. 3907

Chair with steel four-leg base, armrests and reconstituted veneer shell, natural or stained birchwood effect in 4 different colours. Optional glides with felt for wooden floors are available upon request. A non-washable, removable cover (Item 3920) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered. Armrests allow positioning the chair over the table top.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell Wood



arper

www.arper.com

info@arper.com

Aava

Design by Antti Kotilainen, 2013

Accessories:



Single trolley Art. 0500




Link Art. 3941 + Stacking protection Art. 3942




Set of glides Art. 3948

SHIPMENT DETAILS

Art.3907

1 pz = 2  - kg 11,84/ m³ 0,43

4 pz = 2  - kg 30,26/ m³ 0,49

RESISTANCE TEST

- TUV GS (EN16139)

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

Art.3907

Frame base finishes: indoor use only

FIRE RETARDANT TEST

Classe 1 LG

Stackability:

- Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With trolley: up to 14 pcs.

arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2015

Art. 3963

Chair with steel 4 leg base with armrests and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Optional glides with felt for wooden floors are available upon request. Armrest allow positioning the chair over the table top.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

arper

info@arper.com

www.arper.com

Aava

Design by Antti Kotilainen, 2015

Accessories:



Single trolley Art. 0500



Set of glides Art. 3948



Stacking protection Pad Art. 3950



Link Art. 3970

SHIPMENT DETAILS

Art.3963

1 pz = 2 - kg 11,49/ m² 0,49
4 pz = 2 - kg 34,68/ m² 0,518

TECHNICAL SPECIFICATIONS

Art.3963

COL requirement m² 0,78
H 140 cm. COM Meterage ml 0.66
Frame base finishes: indoor use only

RESISTANCE TEST

- TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2014

Art. 3935

Chair with steel four-leg base, wooden armrests (5 finishes available) and reconstituted veneer shell, natural or stained birchwood effect in 4 different colours. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Optional glides with felt for wooden floors are available upon request. Armrests allow positioning the chair over the table top.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell Wood



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

arper

info@arper.com

www.arper.com

Aava

Design by Antti Kotilainen, 2014

Accessories:



Single trolley Art. 0500



Link Art. 3941 + Stacking protection Art. 3942



Stacking protection Pad Art. 3942



Set of glides Art. 3948

SHIPMENT DETAILS

Art.3935

1 pz = 2 - kg 11,84/ m² 0,43

4 pz = 2 - kg 30,26/ m² 0,49

TECHNICAL SPECIFICATIONS

Art.3935

COL requirement m² 0,78

H 140 cm. COM Meterage ml 0.66

Frame base finishes: indoor use only

RESISTANCE TEST

- TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2016

Art. 3977

Chair with steel 4 leg base with armrests and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Optional glides with felt for wooden floors are available upon request. Armrest allow positioning the chair over the table top.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

arper

info@arper.com

www.arper.com

Aava

Design by Antti Kotilainen, 2016

Accessories:



Single trolley Art. 0500



Set of glides Art. 3948




Stacking protection Pad Art. 3950




Link Art. 3970

SHIPMENT DETAILS

Art.3977

1 pz = 2  - kg 10,68/ m² 0,433

4 pz = 2  - kg 31,88/ m² 0,518

TECHNICAL SPECIFICATIONS

Art.3977

COL requirement m² 0,36

H 140 cm. COM Meterage ml 0.54

Frame base finishes: indoor use only

RESISTANCE TEST

- TUV GS (EN16139)

FIRE RETARDANT TEST

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

www.arper.com

info@arper.com

Aava


Design by Antti Kotilainen, 2016

Art. 3976

Chair with steel four-leg base, armrests and reconstituted veneer shell, natural or stained birchwood effect in 4 different colours. Wood shell with seat cushion in leather, faux leather, fabric or customer's material upholstery. Optional glides with felt for wooden floors are available upon request. Armrests allow positioning the chair over the table top.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

arper

Frame Base



Shell Wood



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

www.arper.com
info@arper.com

Aava

Design by Antti Kotilainen, 2016

Accessories:



Single trolley Art. 0500



Link Art. 3941 + Stacking protection Art. 3942




Stacking protection Pad Art. 3942



Set of glides Art. 3948

SHIPMENT DETAILS

Art.3976

1 pz = 2  - kg 11,28/ m² 0,433

4 pz = 2  - kg 28,88/ m² 0,493

TECHNICAL SPECIFICATIONS

Art.3976

COL requirement m² 0,36

H 140 cm. COM Meterage ml 0.54

Frame base finishes: indoor use only

RESISTANCE TEST

- TUV GS (EN16139)

FIRE RETARDANT TEST

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 6 pcs.

arper

www.arper.com

info@arper.com