






Barstool with beech plywood board seat and backrest and solid beech wood frame.

 0.28  5.8

	Backrest height	Seat height	Width	Depth
Measures (mm)	1,085	760	445	500

<b>Frame</b>	Solid beech legs and interior frame.
<b>Seat</b>	Beech plywood.
<b>Back</b>	Beech plywood.
<b>Accessories</b>	Polypropylene, felt or steel glides.
<b>Other materials</b>	Zinc-nickel electrolyte screws. Polyvinyl acetate glue.



**Wood finish**  
Beech

<b>SUSTAINABILITY</b>	ISO9001 FSC ISO 14001 level® 2 certified to ANSI/BIFMA e3 Standard
-----------------------	---

<b>RESISTANCE AND QUALITY</b>	UNE-EN 16139:2013 ISO 9001
-------------------------------	-------------------------------

**FIREPROOF**

UNE-EN 1021-1:2006

B.S. 5852 Part 2 Crib V

UNI 9175 M-1



California Tech.Bulletin 117

UNE-EN 13501-1

BKZ 5.2




Counter stool with beech plywood board seat and backrest and solid beech wood frame.

 0.24  5

	Backrest height	Seat height	Width	Depth
Measures (mm)	965	640	440	490

<b>Frame</b>	Solid beech legs and interior frame.
<b>Seat</b>	Beech plywood.
<b>Back</b>	Beech plywood.
<b>Accessories</b>	Polypropylene, felt or steel glides.
<b>Other materials</b>	Zinc-nickel electrolyte screws. Polyvinyl acetate glue.



**Wood finish**  
Beech

<b>SUSTAINABILITY</b>	ISO9001 FSC ISO 14001 level® 2 certified to ANSI/BIFMA e3 Standard
-----------------------	---

<b>RESISTANCE AND QUALITY</b>	UNE-EN 16139:2013 ISO 9001
-------------------------------	-------------------------------

**FIREPROOF**

UNE-EN 1021-1:2006

B.S. 5852 Part 2 Crib V

UNI 9175 M-1

California Tech.Bulletin 117

UNE-EN 13501-1

BKZ 5.2



Barstool with upholstered seat, beech plywood backrest and solid beech wood frame.

0.34 6.9

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	1,085	800	820	445	500

<b>Frame</b>	Solid beech legs and interior frame.
<b>Seat</b>	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.
<b>Back</b>	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.
<b>Accessories</b>	Polypropylene, felt or steel glides.
<b>Other materials</b>	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

#### Fabrics / Telas

- 1 Soft-fiber  
Jacquard One  
Jacquard Three  
Citadel  
Sand  
Era  
Gravity  
Rivet  
Urban
- 2 Jacquard Two  
Solid & Stripes  
Loom One  
Circular One Pure Eco
- 3 Jacquard Four  
Medley  
Revive 1  
Natte  
Main Line Flax  
Loom Two  
Mezzo

- 4 Jacquard 4 Special  
Nexus  
Field 2  
Floyd  
Remix 3  
Heritage  
Savane  
Loom Three  
Loom Four  
Cura  
Oceanic
- 5 Silk  
Synergy  
Step  
Step Melange  
Blazer  
Melange Nap  
Glow  
Chili  
Noma  
Re-wool

- 6 Go check  
Swing  
Chartres  
Loom Five  
Zori  
Patio
- 7 Canvas 2  
Rime  
Select  
Clara 2
- 8 Capture  
Fiord 2  
Tonus 4  
Divina 3  
Lopi  
Domino
- 9 Divina MD  
Divina Melange 3  
Hallingdal 65  
Steelcut Trio 3

#### Faux Leather / Ecopiel

- 1 Valencia
- 2 Silvertex
- 3 Maglia
- 4 Dolce
- 8 Ultraleather Original  
Ultraleather Linen  
Ultraleather Pearlized
- 9 Brisa Original  
Brisa Distressed  
Brisa Fresco  
Brisa Mokume  
Ultraleather Cora Outdoor  
Ultraleather Pony  
Ultraleather Pro  
Ultraleather Promessa  
Ultraleather Promessa Outdoor  
Ultraleather Dwell  
Ultratech EcoTech
- 10 Brisa Distressed Outdoor  
Ultraleather Distressed Outdoor  
Ultratech Helix  
Ultratech Wired


- 11 Ultraleather Reef Pro  
Ultraleather Volar Bio  
Ultratech Cove

#### Upholstery

**Leather / Piel**

- L1** High grade cow leather  
Piel de vaca de 1ª categoría
- L3** Polished full grain leather  
Plena flor pulida
- L6** Aniline leather batique-effect.  
Scandinavian cattle.  
Piel anilina efecto batique.  
Ganado escandinavo.

**Leather**





**Wood finish**  
**Beech**

- SUSTAINABILITY** ISO9001  
FSC  
ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard
- RESISTANCE AND QUALITY** UNE-EN 16139:2013  
ISO 9001
- FIREPROOF** UNE-EN 1021-1:2006  
B.S. 5852 Part 2 Crib V  
UNI 9175 M-1  
California Tech.Bulletin 117  
UNE-EN 13501-1  
BKZ 5.2



Counter stool with upholstered seat, beech plywood backrest and solid beech wood frame.

 0.26  5.8

	Backrest height	Seat height	Width	Depth
Measures (mm)	965	680	440	490

## Frame

Solid beech legs and interior frame.

## Seat

Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m<sup>3</sup> and 40 kg/m<sup>3</sup>.

## Back

Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m<sup>3</sup> and 40 kg/m<sup>3</sup>.

## Accessories

Polypropylene, felt or steel glides.

### Fabrics / Telas

- 1** Soft-fiber  
Jacquard One  
Jacquard Three  
Citadel  
Sand  
Era  
Gravity  
Rivet  
Urban
- 2** Jacquard Two  
Solid & Stripes  
Loom One  
Circular One Pure Eco
- 3** Jacquard Four  
Medley  
Revive 1  
Natte  
Main Line Flax  
Loom Two  
Mezzo

- 4** Jacquard 4 Special  
Nexus  
Field 2  
Floyd  
Remix 3  
Heritage  
Savane  
Loom Three  
Loom Four  
Cura  
Oceanic
- 5** Silk  
Synergy  
Step  
Step Melange  
Blazer  
Melange Nap  
Glow  
Chili  
Noma  
Re-wool

- 6** Go check  
Swing  
Chartres  
Loom Five  
Zori  
Patio
- 7** Canvas 2  
Rime  
Select  
Clara 2
- 8** Capture  
Fiord 2  
Tonus 4  
Divina 3  
Lopi  
Domino
- 9** Divina MD  
Divina Melange 3  
Hallingdal 65  
Steelcut Trio 3

### Faux Leather / Ecopiel

- 1** Valencia
- 2** Silvertex
- 3** Maglia
- 4** Dolce
- 8** Ultraleather Original  
Ultraleather Linen  
Ultraleather Pearlized
- 9** Brisa Original  
Brisa Distressed  
Brisa Fresco  
Brisa Mokume  
Ultraleather Cora Outdoor  
Ultraleather Pony  
Ultraleather Pro  
Ultraleather Promessa  
Ultraleather Promessa Outdoor  
Ultraleather Dwell  
Ultratech EcoTech
- 10** Brisa Distressed Outdoor  
Ultraleather Distressed Outdoor  
Ultratech Helix  
Ultratech Wired


- 11** Ultraleather Reef Pro  
Ultraleather Volar Bio  
Ultratech Cove

## Upholstery

**Leather / Piel**

- L1** High grade cow leather  
Piel de vaca de 1ª categoría
- L3** Polished full grain leather  
Plena flor pulida
- L6** Aniline leather batique-effect.  
Scandinavian cattle.  
Piel anilina efecto batique.  
Ganado escandinavo.

**Leather**



**Wood finish**  
**Beech**

**SUSTAINABILITY**

ISO9001  
FSC  
ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard

**RESISTANCE  
AND QUALITY**

UNE-EN 16139:2013  
ISO 9001

**FIREPROOF**

UNE-EN 1021-1:2006  
B.S. 5852 Part 2 Crib V  
UNI 9175 M-1  
California Tech.Bulletin 117  
UNE-EN 13501-1  
BKZ 5.2





Barstool with upholstered seat and backrest and solid beech wood frame.

0.28 7.4

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	1,085	800	820	445	500

<b>Frame</b>	Solid beech legs and interior frame.
<b>Seat</b>	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.
<b>Back</b>	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.
<b>Accessories</b>	Polypropylene, felt or steel glides.
<b>Other materials</b>	Zinc-nickel electrolyte screws. Galvanized screws. Polyvinyl acetate glue.

#### Fabrics / Telas

- 1 Soft-fiber  
Jacquard One  
Jacquard Three  
Citadel  
Sand  
Era  
Gravity  
Rivet  
Urban
- 2 Jacquard Two  
Solid & Stripes  
Loom One  
Circular One Pure Eco
- 3 Jacquard Four  
Medley  
Revive 1  
Natte  
Main Line Flax  
Loom Two  
Mezzo

- 4 Jacquard 4 Special  
Nexus  
Field 2  
Floyd  
Remix 3  
Heritage  
Savane  
Loom Three  
Loom Four  
Cura  
Oceanic
- 5 Silk  
Synergy  
Step  
Step Melange  
Blazer  
Melange Nap  
Glow  
Chili  
Noma  
Re-wool

- 6 Go check  
Swing  
Chartres  
Loom Five  
Zori  
Patio
- 7 Canvas 2  
Rime  
Select  
Clara 2
- 8 Capture  
Fiord 2  
Tonus 4  
Divina 3  
Lopi  
Domino
- 9 Divina MD  
Divina Melange 3  
Hallingdal 65  
Steelcut Trio 3

#### Faux Leather / Ecopiel

- 1 Valencia
- 2 Silvertex
- 3 Maglia
- 4 Dolce
- 8 Ultraleather Original  
Ultraleather Linen  
Ultraleather Pearlized
- 9 Brisa Original  
Brisa Distressed  
Brisa Fresco  
Brisa Mokume  
Ultraleather Cora Outdoor  
Ultraleather Pony  
Ultraleather Pro  
Ultraleather Promessa  
Ultraleather Promessa Outdoor  
Ultraleather Dwell  
Ultratech EcoTech
- 10 Brisa Distressed Outdoor  
Ultraleather Distressed Outdoor  
Ultratech Helix  
Ultratech Wired


- 11 Ultraleather Reef Pro  
Ultraleather Volar Bio  
Ultratech Cove

#### Upholstery

**Leather / Piel**

- L1** High grade cow leather  
Piel de vaca de 1ª categoría
- L3** Polished full grain leather  
Plena flor pulida
- L6** Aniline leather batique-effect.  
Scandinavian cattle.  
Piel anilina efecto batique.  
Ganado escandinavo.

**Leather**



**Wood finish**  
**Beech**

**SUSTAINABILITY**

ISO9001  
FSC  
ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard

**RESISTANCE  
AND QUALITY**



UNE-EN 16139:2013  
ISO 9001

**FIREPROOF**

UNE-EN 1021-1:2006  
B.S. 5852 Part 2 Crib V  
UNI 9175 M-1  
California Tech.Bulletin 117  
UNE-EN 13501-1  
BKZ 5.2



Counter stool with upholstered seat and backrest and solid beech wood frame.

 0.26  6.6

	Backrest height	Seat height	Width	Depth
Measures (mm)	965	680	440	490

<b>Frame</b>	Solid beech legs and interior frame.
<b>Seat</b>	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.
<b>Back</b>	Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.
<b>Accessories</b>	Polypropylene, felt or steel glides.
<b>Other materials</b>	Zinc-nickel electrolyte screws. Galvanized screws. Polyvinyl acetate glue.

#### Fabrics / Telas

- 1 Soft-fiber  
Jacquard One  
Jacquard Three  
Citadel  
Sand  
Era  
Gravity  
Rivet  
Urban
- 2 Jacquard Two  
Solid & Stripes  
Loom One  
Circular One Pure Eco
- 3 Jacquard Four  
Medley  
Revive 1  
Natte  
Main Line Flax  
Loom Two  
Mezzo

- 4 Jacquard 4 Special  
Nexus  
Field 2  
Floyd  
Remix 3  
Heritage  
Savane  
Loom Three  
Loom Four  
Cura  
Oceanic
- 5 Silk  
Synergy  
Step  
Step Melange  
Blazer  
Melange Nap  
Glow  
Chili  
Noma  
Re-wool

- 6 Go check  
Swing  
Chartres  
Loom Five  
Zori  
Patio
- 7 Canvas 2  
Rime  
Select  
Clara 2
- 8 Capture  
Fiord 2  
Tonus 4  
Divina 3  
Lopi  
Domino
- 9 Divina MD  
Divina Melange 3  
Hallingdal 65  
Steelcut Trio 3

#### Faux Leather / Ecopiel

- 1 Valencia
- 2 Silvertex
- 3 Maglia
- 4 Dolce
- 8 Ultraleather Original  
Ultraleather Linen  
Ultraleather Pearlized
- 9 Brisa Original  
Brisa Distressed  
Brisa Fresco  
Brisa Mokume  
Ultraleather Cora Outdoor  
Ultraleather Pony  
Ultraleather Pro  
Ultraleather Promessa  
Ultraleather Promessa Outdoor  
Ultraleather Dwell  
Ultratech EcoTech
- 10 Brisa Distressed Outdoor  
Ultraleather Distressed Outdoor  
Ultratech Helix  
Ultratech Wired


- 11 Ultraleather Reef Pro  
Ultraleather Volar Bio  
Ultratech Cove

#### Upholstery

#### Leather / Piel

- L1** High grade cow leather  
Piel de vaca de 1ª categoría
- L3** Polished full grain leather  
Plena flor pulida
- L6** Aniline leather batique-effect.  
Scandinavian cattle.  
Piel anilina efecto batique.  
Ganado escandinavo.

#### Leather



#### Wood finish Beech

#### SUSTAINABILITY

ISO9001  
FSC  
ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard

#### RESISTANCE AND QUALITY

UNE-EN 16139:2013  
ISO 9001

#### FIREPROOF

UNE-EN 1021-1:2006  
B.S. 5852 Part 2 Crib V  
UNI 9175 M-1  
California Tech.Bulletin 117  
UNE-EN 13501-1  
BKZ 5.2