



Chair with upholstered seat or upholstered seat and backrest and structure in solid ash wood.

📦 0.28 m<sup>3</sup> 📦 9.89 Ft 📦 10 kg 📦 22.05 Lbs 📦

	<b>Backrest height</b>	<b>Seat height</b>	<b>Width</b>	<b>Depth</b>
<b>Measures (mm)</b>	735	460	540	585

**RESISTANCE AND QUALITY**

UNE-EN 16139:2013  
 ISO 9001

**FIREPROOF**

UNE-EN 1021-1:2006  
 B.S. 5852 Part 2 Crib V  
 UNI 9175 M-1  
 California Tech.Bulletin 117  
 BKZ 5.2

**SUSTAINABILITY**

ISO 14001  
 level® 2 certified to ANSI/BIFMA e3 Standard



Armchair with upholstered seat or upholstered seat and backrest and structure in solid ash wood.

 0.31 m<sup>3</sup>  13 kg   
10.95 Ft 28.66 Lbs

	<b>Backrest height</b>	<b>Seat height</b>	<b>Arm height</b>	<b>Width</b>	<b>Depth</b>
<b>Measures (mm)</b>	735	460	685	580	600

**RESISTANCE AND QUALITY**

UNE-EN 16139:2013  
ISO 9001

**FIREPROOF**

UNE-EN 1021-1:2006  
B.S. 5852 Part 2 Crib V  
UNI 9175 M-1  
California Tech.Bulletin 117  
BKZ 5.2

**SUSTAINABILITY**

ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard



Armchair with upholstered seat or upholstered seat and backrest and structure in solid ash wood. Wide version.

 0.34 m<sup>3</sup>  15 kg   
12.01 Ft 33.07 Lbs

	<b>Backrest height</b>	<b>Seat height</b>	<b>Arm height</b>	<b>Width</b>	<b>Depth</b>
<b>Measures (mm)</b>	735	460	685	610	615

**RESISTANCE AND QUALITY** UNE-EN 16139:2013  
ISO 9001

**FIREPROOF** UNE-EN 1021-1:2006  
B.S. 5852 Part 2 Crib V  
UNI 9175 M-1  
California Tech.Bulletin 117  
BKZ 5.2

**SUSTAINABILITY** ISO 14001  
level® 2 certified to ANSI/BIFMA e3 Standard