


Barstool with upholstered seat and backrest and solid ash wood frame.



- Frame** Solid ash legs and interior frame. Stainless steel stretchers.
- Seat** Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m³ and 40 kg/m³.
- Back** Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m³ and 40 kg/m³.
- Other materials** Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.
- Accessories** Polypropylene, felt or steel glides.


Leather/Cuero Leather

- Leather**
- Grade L1**
High grade cow leather (21)
 - Grade L3**
Polished full grain leather (21)


Fabrics

Telas				Ecopiel			
Grade 1	Grade 2	Grade 4	Grade 6	Grade 8	Grade 9	1	2
Era (20)	Solid & Stripes (14)	Hemp (21)	Chartres (13)	Harald 3 (30)	Divina MD (27)	Valencia (16)	Silvertex (15)
Citadel (20)		Jacquard 4 (15)	Clara 2 (24)	Lopi (15)	Divina Melange 2 (24)	Dolce (15)	
Gravity (30)	Grade 3	Special (15)	Craggan (10)	Tonus 4 (64)	Hallingdal 65 (58)	Ledger (28)	
Jacquard 1 (10)	Jacquard 4 (15)	Nexus (15)	Go Check (40)	Tonus Meadow (24)	Steelcut Trio 3 (54)	Sudden (30)	
Jacquard 3 (15)	Linen (8)	Oxygen (32)	Swing (29)				
Microfibra (14)	Main Line Flax (42)	Remix 2 (49)					
Rivet (24)	Medley (37)		Grade 7				
Sand (5)	Natte (9)		Canvas 2 (45)				
Urban (24)	Revive 1 (25)	Grade 5	Rime (27)				
Xtreme (25)		Blazer (60)					
	Grade 4	Messenger 4 (44)					
	Cava 3 (49)	Silk (21)					
	Field (24)	Step (57)	Grade 8				
	Floyd (23)	Step Melange (54)	Capture (25)				
		Synergy (75)	Divina 3 (56)				
			Fiord (27)				

Wood finish Ash



Wood lacquers



Premium finish and wood



610



641



661



380



645L
NCS 2005-Y20R
Sand



646L
NCS S 4005-Y20R
Basalt Grey



642L
RAL 3013
Cayenne Red



605L
NCS S 6502-B
Dark Grey



606L
RAL 1005
Yellow Mustard

Glides



Resistance and Quality

ISO 9001:2008

UNE-EN 16139:2013

Fireproof

BS 5852:1982 Part 2

California Technical Bulletin 117

UNE-EN 1021-1:2006

UNI 9175 (class 1 IM)

Sustainability


FSC

ISO 14001:2004

ISO 14006:2011

level 1 ANSI/BIFMA

Barstool with solid ash wood frame. Upholstered seat and back.




- Frame** Solid ash legs and interior frame. Stainless steel stretchers.
- Seat** Beech plywood covered with flexible flame retardant polyurethane foam with density between 55 lb/ft3 and 88 lb/ft3 (25 kg/m3 and 40 kg/m3).
- Back** Covered in flexible flame retardant polyurethane foam with density between 55 lb/ft3 and 88 lb/ft3 (25 kg/m3 and 40 kg/m3).
- Other materials** Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.
- Accessories** Polypropylene, felt or steel glides.
- Leather/Cuero Leather**
- Leather**
 - Grade L1**
High grade cow leather (21)
 - Grade L3**
Polished full grain leather (21)


Fabrics

Telas				Ecopiel			
Grade 1	Grade 2	Grade 4	Grade 6	Grade 8	Grade 9	1	2
Era (20)	Solid & Stripes (14)	Hemp (21)	Chartres (13)	Harald 3 (30)	Divina MD (27)	Valencia (16)	Silvertex (15)
Citadel (20)	Jacquard 4 (15)	Jacquard 4 (15)	Clara 2 (24)	Lopi (15)	Divina Melange 2 (24)	2 Silvertex (15)	4 Dolce (15)
Gravity (30)	Linen (8)	Special (15)	Craggan (10)	Tonus 4 (64)	Hallingdal 65 (58)	4 Dolce (15)	5 Ledger (28)
Jacquard 1 (10)	Main Line Flax (42)	Nexus (15)	Go Check (40)	Tonus Meadow (24)	Steelcut Trio 3 (54)	5 Ledger (28)	7 Sudden (30)
Jacquard 3 (15)	Medley (37)	Oxygen (32)	Swing (29)				
Microfibra (14)	Natte (9)	Remix 2 (49)					
Rivet (24)	Revive 1 (25)		Grade 7				
Sand (5)		Grade 5	Canvas 2 (45)				
Urban (24)		Blazer (60)	Rime (27)				
Xtreme (25)		Messenger 4 (44)					
	Grade 4	Silk (21)	Grade 8				
	Cava 3 (49)	Step (57)	Capture (25)				
	Field (24)	Step Melange (54)	Divina 3 (56)				
	Floyd (23)	Synergy (75)	Flord (27)				

Wood finish Ash




Wood lacquers



Premium finish and wood



Glides



Resistance and Quality

ISO 9001:2008
UNE-EN 16139:2013

Fireproof

BS 5852:1982 Part 2
California Technical Bulletin 117
UNE-EN 1021-1:2006
UNI 9175 (class 1 IM)

Sustainability

FSC
ISO 14001:2004
ISO 14006:2011
level 1 ANSI/BIFMA