



Armchair with oak board seat and backrest and 4-star solid ash wood swivel base. Optional upholstered seat pad.

0,44
7,7
1

	Back height	Seat height	Arm height	Width	Depth
Measures mm.	750	460	640	600	560

Frame	Solid ash central swivel base.
Seat	Oak board.
Back	Oak board.
Arms	Oak board.
Other materials	Zinc-nickel electrolyte screws. Galvanized screws. Polyvinyl acetate glue.
Accesories	Polypropylene, felt or steel glides.

Leather

Faux Leather / Ecopiel

- 1 Valencia
- 2 Silvertex

Leather / Piel

- L1 High grade cow leather
Piel de vaca de 1ª categoria
- L3 Polished full grain leather
Plena flor pulida
- L6 Aniline leather batique-effect.
Scandinavian cattle.
Piel anilina efecto batique.
Ganado escandinavo.

Fabrics

Fabrics / Telas

- 1 Jacquard One
Jacquard Three
Era
Gravity
Rivet
Urban
- 2 Circular One Pure Eco
- 3 Jacquard Four
Medley
Revive 1
Maglia
Main Line Flax
Loom Two
Reflect
Mezzo
- 4 Jacquard 4 Special
Nexus
Floyd
Heritage
Savane
Loom Three
Loom Four
Oceanic
- 5 Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Re-wool
- 6 Go check
Swing
Chartres
Zori
Patio
- 7 Canvas 2
Rime
Select
Clara 2
- 8 Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino
Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
- 9 Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3
Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
- 9 Ultraleather Promessa Outdoor
Ultratech Dwell
Ultratech EcoTech
- 10 Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired
- 11 Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

Wood finish Ash



Wood finish Oak



Premium finish and wood



Premium finish and wood



Resistance and Quality	ISO 9001
	UNE-EN 16139
Fireproof	BKZ 5.2
	BS 5852 Part 2 Crib 5
	California Technical Bulletin 117
	UNE-EN 1021-1 & 2
Sustainability	FSC
	Indoor Air Quality-Advantage Gold
	ISO 14001
	level® 2 certified to ANSI/BIFMA e3 Standard